



POWER. PRECISION. PERFORMANCE.

Rinnai


NEW



RB-7152HF-ZB


Flexible Cut-Out

Fits your existing cut-out with minimal modification. Making the switch from gas to induction easier.



Booster

5 min at most heat intensity at each zone




Stop & Go Function

Temporarily pause and resume with the same power level




Child Lock

Prevent children from switching on for safety



Hot Surface Warning

Show "H" if surface has residual heat to avoid touching



Timer

Can set up to 8 hours



13Amp

Hassle free to plug into 13amp wall sockets




Auto OFF

Automatically switch off after continuous use (2-8hr at diff level)



Anti Overflow Protection

Detect overflow touches control panel, and switch off the heating for safety





NEW



RB-7032H CFG

NEW



RB-7032H CFB



SCHOTT CERAN® Fine Print Technology

German made Schott CERAN® with innovative Fine Print technology gives a perfect balance of aesthetics, durability, easy maintenance, and safety with high resistance to scratches, heat, impact, and chemicals, ensuring long-lasting beauty and resilience.



Smart Wheel Control
Smooth control enables setting up to 9 heating level



Anti Overflow Protection
Detect overflow touches control panel, and switch off the heating for safety



Booster
5 min at most heat intensity at each zone



Timer
Can set up to 99min



13A
Hassle free to plug into 13amp wall sockets



Child Lock
Prevent children from switching on for safety



Pan Sensor
Heating starts only with detecting suitable pan




AUTO OFF
Automatically switch off after continuous use (2-8hr at diff level)



Hot Surface Warning
Show "H" if surface has residual heat to avoid touching

NEW




RB-7152HF-ZB

NEW



RB-7032H CFG / CFB




RB-7012H-CB



RB-3012H-CB

Model	RB-7152HF-ZB	RB-7032H CFG / CFB	RB-7012H-CB	RB-3012H-CB
Type	2 Zone Induction	2 Zone Induction	2 Zone Induction	2 Zone Induction
Control	Soft Touch	Smart Wheel	Soft Touch	Soft Touch
Glass Top Plate	Ceramic	SCHOTT CERAN® Fine Print	SCHOTT CERAN®	SCHOTT CERAN®
Glass Top Plate Color	Black	Grey / Black	Black	Black
Power Setting	9	9	9	9
Booster	✓	✓	✓	✓
Timer	Max 8hr	Max 99min	Max 99min	Max 99min
Minutes Minder	✓	✓	✓	✓
Stop & Go Function	✓	-	-	-
Child Lock	✓	✓	✓	✓
Hot Surface Warning	✓	✓	✓	✓
Auto Switch Off	✓	✓	✓	✓
Pan Detector	✓	✓	✓	✓
Anti Overflow Protection	✓	✓	✓	✓
Total Connect Load	2850W	2900W	2900W	2900W
Power	Left: 1.8 / *2.2kW	Left: 1.8 / *2.1kW	Left: 1.8 / *2.1kW	Left: 1.8 / *2.1kW
*Booster	Right: 1.8 / *2.2kW	Right: 1.8 / *2.1kW	Right: 1.8 / *2.1kW	Right: 1.8 / *2.1kW
Max Amp	13A	13A	13A	13A
Power Cable Length	1.2m	1.2m	1.2m	1.2m
Product Dimension WxDxH (mm)	760 x 460 x 58	730 x 420 x 58	710 x 410 x 58	310 x 520 x 58
Cut Out Dimension WxDxH (mm)	650-710 x 350-410	680 x 380 x 60	680 x 380 x 60	270 x 490 x 60

TECHNICAL DRAWING



RINNAI HOLDINGS (PACIFIC) PTE LTD

61 Ubi Road 1 #02-20 & 21, Oxley Bizhub Singapore 408727

Phone: (65) 6748 9011



www.rinnai.sg



@Rinnai.Singapore



@Rinnai_SG



@Rinnai_SG

Scan for more details

